



TUV T8

TUV 15W SLV

TUV T8 lamps are double-ended UVC (germicidal) lamps used in professional water and air disinfection units. TUV T8 lamps offer almost constant UV output over their complete lifetime, for maximum security of disinfection and high system efficacy. Moreover, they have a long and reliable lifetime, which allows maintenance to be planned for in advance.

Product data

• General Characteristics

System Description	-
Cap-Base	G13
Bulb	T26
Main Application	Disinfection
Useful Life	9000 hr

• Electrical Characteristics

Lamp Wattage	15 W
Lamp Wattage Technical	15.9 W
Lamp Voltage	54 V
Lamp Current	0.34 A

• Environmental Characteristics

Mercury (Hg) Content	2.0 mg
----------------------	--------

• Light Technical Characteristics

Color Designation (text)	-
--------------------------	---

• UV-related Characteristics

UV-C Radiation	4.9 W
----------------	-------

• Product Dimensions

Base Face to Base Face A	437.4 (max) mm
Insertion Length B	442.1 (min), 444.5 (max) mm
Overall Length C	451.6 (max) mm
Diameter D	28 (max) mm


• Product Data

Order code	928039004005
Full product code	928039004005
Full product name	TUV 15W SLV
Order product name	TUV 15W SLV/25
Pieces per pack	1
Packing configuration	25
Packs per outerbox	25
Bar code on pack - EAN1	8711500726179
Bar code on outerbox - EAN3	8711500638618
Logistic code(s) - 12NC	928039004005
Net weight per piece	81.600 gr


PHILIPS

sense and simplicity



Dimensional drawing



Product	A (Max)	B (Min)	B (Max)	C (Max)	D (Max)
TUV TL-D 15W	437.4	442.1	444.5	451.6	28



Photometric data



© 2011 Koninklijke Philips Electronics N.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

www.philips.com/lighting

2011, July 25
data subject to change