

TUV T5

TUV 25W - 4P SE UNP

TUV T5 lamps are single- or double-ended UVC (germicidal) lamps used in professional water and air disinfection units. The small 16 mm diameter of the lamp allows for a small system design and design flexibility. TUV T5 lamps offer constant UV output over their complete lifetime, for maximum security of disinfection and high system efficacy.

Product data

• General Characteristics

System Description	-
Cap-Base	4 Pins Single Ended
Cap-Base Information	4 Pins Single Ended
Bulb	T16
Main Application	Disinfection
Useful Life	9000 hr

• Light Technical Characteristics

Color Code	
Color Designation	
(text)	

• Electrical Characteristics

Lamp Wattage Lamp Wattage Tech- nical	25 W 23 W
Lamp Voltage	82 V
Lamp Current	0.35 A

• UV-related Characteristics

W

• Product Dimensions

Reference Length A Overall Length C Diameter D


548.9 (max) mm 556.6 (max) mm 19.3 (max) mm

• Product Data

Order code Full product code Full product name Order product name Pieces per pack Packing configuration Packs per outerbox Bar code on pack - EAN1 Bar code on	927972204099 927972204099 TUV 25W - 4P SE UNP TUV 25W - 4P SE UNP/32 1 32 32 8711500264404 8711500264411
Bar code on outerbox - EAN3 Logistic code(s) -	927972204099
12NC Net weight per piece	57.000 gr



Dimensional drawing




TUV 25W - 4P SE UNP

Product	A (Min)	A (Norm)	A (Max)	B (Min)	B (Norm)	B (Max)	C (Min)	C (Norm)	C (Max)	D (Max)	O (Norm)
TUV 25W 4P SE	-	-	548.9	-	-	-	-	-	556.6	19.3	-



4 Pins Single Ended

Photometric data





 $\textcircled{\sc c}$ 2013 Koninklijke Philips N.V. (Royal Philips) All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting